

612-722-9000 toll-free 800-333-3214 toll-free fax 800-444-4176 local fax 612-721-4834 local 612-722-9000

apamedical.com

# PARTS CATALOG

Your Expert Medical Equipment Resource Since 1970









Aug 2017

Mon – Fri | 8:00 am – 5:00 pm 3115 East 38th Street Minneapolis, MN 55406

# DEAR CUSTOMER,

### Since 1970, APA Medical has been distributing durable Medical Equipment and Supplies to customers throughout the Twin Cities and to facilities nationwide.

APA started out as a small locally owned business, and has grown into a company that staffs over 30 employees that bring decades of work experience. From our Customer Care group, to repairs, to order fulfillment, we do everything possible to satisfy our customer's needs. The APA catalog was designed for fast and easy customer use. Although our catalog only illustrates some of the most widely used equipment and parts, we do carry much more then what's listed in our catalog.

View our web page at *apamedical.com* or contact us at 612-722-9000 for more information regarding product or service

Our mission is to provide our customers with the highest degree of service and knowledge available in the industry. We hope to help supply the medical products you need!


### Thank you,



Wheel Chair Upholstery	
Arm Rests	8
Arm Assemblies	9
Clothing Guards	9
Button Locks, Arm Sockets	
and Seat Guides	9
Bearings	10
Repair Supplies	13
Axels and nuts	
Wheel Locks	15
Brake Parts and Extensions	17
Caps and Plugs	17
Dust Caps and Hub Caps	
Grips	18
Wheelchair Foot Rest	19
Foot Plates	19
Calf Pad Assemblies	20
Lock & Release Levers	20
Foot Rigging and Frame	20
Anti-Tip Bars (Front and Rear)	21
Wheel Parts and Forks	22
Tires and Tubes	23
Wheels	25
Pneumatic and Semi Pneumatic	
Wheel Assembly	25
Recliner Parts	26
Upholstered Goods	28
Patient Wheelchair Restraints	28
Adaptive Seating	29
Commode Chairs	29

Commode Pails & Parts	31
Toilet Accessories	32
Caster and Sockets	33
Bed Parts	34
Bed Rails and Parts	35
Bed Equipment	36
Call Cords	37
Clips and Conductors	38
Hoyer Slings & Parts	38
Patient Lifts	
Stethoscopes	41
Blood Pressure	41
Stethoscopes &	
Blood Pressure Parts	42
Diagnostic Equipment	42
Wheel Chair Cushions	
Mattress / Overlay	45
Cubical Tracking / Parts	
Bed Pumps & Pads	48
Aspirators	
Nursing Therapy	
Nursing Therapy / Misc	49
Walking Aides	
Physical Therapy	51
Walker Parts	
Beds	54
Wheel Chairs	55
Fall Management	58
Lift Chair Pendants	59

# **UPHOLSTERY MATRIX (SEATS)**



#### How to measure the seat upholstery:

- I. Width across middle
- 2. Length from top to bottom
- 3. Distance of holes (center to center)

#### UPH

**US** = Seat

#### STYLE

F = FlatN = NylonM = Mesh

 $\mathbf{E} = \text{Embossed}$ 

#### MEASURE FRONT TO BACK

Code	Holes Side	Chair Brand	Туре	<b>Inches Center to Center Hole</b> (to lst, l-3, 2-3, 3-4, 4-5, 5-6)
25	4	Invacare	Heavy Duty	I, 3 5/8, 3 5/8, 4 3/4, 3 3/8, ~
26	4	Invacare	Heavy Duty	I, 3 I/8, 3 5/8, 3 5/8, 4 3/4, ~
27	4	Invacare	Standard	I, 3 5/8, 3 5/8, 4 3/4, ~, ~
35	4	E & J	Standard	I, 4, 4, 4, ~, ~
36	4	E & J	Heavy Duty	2, 3 3/8, 3 3/8, 3 3/8, 3 3/8, ~
37	6	E & J	Heavy Duty	I, 3 3/8, 3 3/8, 3 3/8, 3 3/8, I
45	7	Breezy	Light Weight	2, 4 1/2, 4 1/2, 4 1/2, ~, ~

#### WIDTH DEPTH

<b>A</b> = 16''	A = 16''
<b>B</b> = 18''	<b>B</b> = 18"
<b>C</b> = 20''	<b>C</b> = 20''
<b>D</b> = 22''	<b>D</b> = 22''
<b>E</b> = 24''	<b>E</b> = 24''
<b>F</b> = 26''	<b>F</b> = 26''
<b>G</b> = 28''	<b>G</b> = 28''
<b>H</b> = 30''	<b>H</b> = 30''
<b>J</b> =  4''	<b>J</b> =  4"
<b>M</b> = 19"	<b>M</b> =  9''
<b>N</b> = 21''	<b>N</b> = 21"
<b>P</b> =  7"	<b>P</b> =  7"

#### COLOR

### **CHAIR SAMPLE ORDER: USN45BAI**


- I = Black
- **2** = Dark Blue
- 3 = Other \*Specify\*

US - N - 45 - B - A - I **\*\*** (Seat, Nylon, Breezy, 18'' X 16'', Black)

Use this matrix to measure for upholstery you can't find. Use the sample chart above to help find the Hole pattern and size. UPH is measured in 2" increments. Example: 16",18",20 etc. If your measuring 17.5" Its most likely a 18" wide. If you measure a 16.5", its most likely a 16" wide. Depth isnt as important, that can fluctuate. Hole pattern: seat, measure from the front to back. Ctr to ctr between the hole. Start from the top to the first hole, as so on. Most seats are 4 hole, 18" deep will generally have 5 or 6. Do the best you can when measuring and call us if you have any problems or questions.

#### \*\* UPH – Style – Hole Code – Width – Depth – Color

# **UPHOLSTERY MATRIX (BACKS)**



#### How to measure the Back upholstery:

- I. Width across top of back
- 2. Width across bottom of back
- 3. Distance of holes (center to center)
- 4. Length from top to bottom

#### UPH

**UB** = Back

STYLE

#### MEASURE FRONT TO BACK

E = Embossed F = Flat	Code	Holes Side	Chair Brand	Туре	<b>Inches Center to Center Hole</b> (to lst, 1-3, 2-3, 3-4, 4-5, 5-6)
N = Nylon M = Mesh	20	4	Invacare	Standard	1, 5 1/2, 5, 4 5/8, ~, ~
	20	4	Invacare	Standard	1, 5 1/2, 5, 4 5/6, 10, 10
	21	5	Invacare	Recliner	provide hole pattern or serial numbers
	22	6	Invacare	Recliner	provide hole pattern or serial numbers
	23	4	Invacare	SX	I, 5 3/8, 5, 3 5/8, ~, ~
	24	I	Invacare	Light Weight	X, T back (slide on)
	30	4	E & J	Standard	I, 5 I/2, 5 I/2, 5 I/2, ~, ~
	31	5	E & J	Heavy Duty	I, I, 4 3/8, 5, 5 3/8, ~
	34	5	E & J	Recliner	I, 5 I/2, 5 I/2, 5 I/2, 5 I/2, ~
	40	4	Breezy	Light Weight	I, 5, 5, 5, ~, ~
	41	I	Breezy	Light Weight	T back (slide on)

#### WIDTH DEPTH

A = 16''
<b>B</b> = 18''
<b>C</b> = 20"
<b>D</b> = 22''
<b>E</b> = 24''
<b>F</b> = 26''
<b>G</b> = 28''
<b>H</b> = 30''
<b>J</b> =  4"
<b>M</b> =  9''
<b>N</b> = 21"
<b>P</b> =  7"

#### COLOR

#### CHAIR SAMPLE ORDER: UBE30DBI

- I = Black
- $\mathbf{2} = \mathsf{Dark} \mathsf{Blue}$
- 3 = Other \*Specify\*

UB - E - 30 - D - B - I \*\* (Back, Embossed, HD pattern, 22" X 18", Black)

Use this matrix to measure for upholstery you can't find. Use the sample chart above to help find the Hole pattern and size. UPH is measured in 2" increments. Example: 16",18",20 etc. If your measuring 17.5" Its most likely a 18" wide. If you measure a 16.5", its most likely a 16" wide. Depth isnt as important, that can fluctuate. Hole pattern: back, measure from the top to bottom. Ctr to ctr between the hole. Start from

top to first hole, ctr to ctr all the way down. Most backs are 4 holes. Do the best you can when measuring and call us if you have any problems or questions. Were here to help!

#### \*\* UPH – Style – Hole Code – Width – Depth – Color

# WHEELCHAIR UPHOISTERY HARDWARE













90X102 NUT





### **UPHOLSTERY INVACARE**





20"

\* = Color I for Black, 2 for Dark Blue

**INVACARE** 

22" X-WIDE

**INVACARE** 

20" X-WIDE


20"

6

22"

22"


# **UPHOLSTERY E & J**



### **ARM RESTS**



UNIVERSAL - Plastic 13.5" 70X100 - Grey FULL LENGTH - 7, 8, & 9" ctr. to ctr. (Best Buy)



UNIVERSAL - Plastic 70X104 FULL LENGTH - Blue, Grey, Beige, Black 9 & 10" center to center 70X108 DESK LENGTH - Blue, Grey, Beige, Black 3 5/16 - 5 1/2" center to center



UNIVERSAL - Padded 70X101\* FULL LENGTH - 9 & 10" center to center 70X107\*

DESK LENGTH - 3 5/16 - 5 1/2" center to center



Lumex Geri - Plastic 12.75" 70X109 - Grey 7" center to center 70X117 - Black 7" center to center



(<u><···</u>)

UNIVERSAL - Plastic 13.25" 70X103 - Beige 10" center to center (Best Buy)



Lumex Geri - Plastic 12" 70X110 - Black 7" center to center 70X220

FULL LENGTH - Black Pad w/ Black Base 7 3/16, 9 & 10'' center to center



INVACARE HTR 5500 Chair 70X123 Urethane



PRIDE VICTORY 24XI25 - Grey



Pride Jazzy Chair 24X100 - 14'' Vinyl FULL 24X101 - 10'' Vinyl DESK Urethane



INVACARE Pronto - Vinyl 15" 24X105 - DESK 24X106 - FULL



INVACARE Waterfall - 13" 24X128 Urethane



INVACARE Waterfall 24X131 - FULL 24X132 - DESK

\* = Color I for Black, 2 for Dark Blue


Arm pad solds as each

8

# **ARM ASSEMBLIES**



E & J 72XI00 - FULL ARM (L) 72XI0I - FULL ARM (R)




E & J 72X102 - DESK ARM (L) 72X103 - DESK ARM (R)




**INVACARE** 72X104 - FULL ARM (L) 72X105 - FULL ARM (R)

Full Length Shown



**INVACARE** 72X106 - DESK ARM (L) 72X107 - DESK ARM (R)

### **CLOTHING GUARDS**



UNIVERSAL E&J / Theradyne 80X106  $A = 18'' \quad B = 6''$ 




**REAR ARM** SOCKET PR 65X100

**INVACARE - EX2 Full Length** (45 Degrees - both ends) 80X100 - Right 80X101 - Left 80X105 - Pair 72X200 - Assm. RT\* 72X201 - Assm. LT\*

**INVACARE - 9sl, 9dtx Desk Length** (90 Degrees / 45 Degrees) 80X202 - Right 80X203 - Left 80X102 - Pair

#### **INVACARE - EX2 Desk Length** (Conventional Arm) 80X103 - Left

80X104 - Right 80X200 - Pair 72X202 - Assm. RT\* 72X203 - Assm. LT\*



**INVACARE - 9sl, 9dtx Full Length** 

(Space Saver Arm) 80X212 - Right 80X2I3 - Left 80X211 - Pair



(Not Listed: E&J, DRIVE, MEDLINE. Call for more information)

BUTTON

LOCKS

### \* = Complete w/Pad Blk

### **BUTTON LOCKS, ARM SOCKETS & SEAT GUIDES**

### **EVEREST & JENNINGS**



ARMREST BUTTON LOCKS



65X118

ARMREST FRONT ARM SOCKET

#2000



**INVACARE** 

65X119




65X220 ARMREST PLUG


Fits Invacare **Fits Invacare** #2000, #4000 & #9000 Wheelchair Wheelchair


GLIDE

# **BEARINGS - I**



**10X200** – Bearing, Axel & Spoke Gauge (helpful tool to measure axel & axel hub)





С


**10X131** – INVACARE 24" WHEEL


в


10


А


# **BEARINGS - 2**
















 $\begin{array}{c}
\uparrow \\
1 1/8" \\
\downarrow \\
B \\
\hline
\\
B \\
\hline
\\
B \\
\hline
\\
C \\
\hline
\\
C \\
\hline
\\
\\
I 0 \times 128 \\
\end{array}$ 

PLASTIC - 10X142









10X159 – E&J 8" WHEEL

# **BEARINGS - 3**







1 3/8"


I


1"


A


































### **BEARINGS - 4**



### **REPAIR SUPPLIES**



### **AXELS & NUTS**



PHONE: 800-333-3214


FAX: 800-444-4176

HOURS: 8 AM-5 PM CST

# WHEEL LOCKS - I




E&J / THERADYNE Fixed Arm Strap Mount \* Push To Lock \* 50X102 - (Right) 50X202 - (Left)



**E&J** Fixed Arm Tube Mount \* Push To Lock \* **50X103** - (Right) **50X203** - (Left)



E&J Removable Arm Strap Mount \* Push To Lock \* 50X303 - (Right) 50X403 - (Left)



INVACARE Fixed Arm Strap Mount \* Push To Lock \* 50X105 - (Right) 50X205 - (Left)




INVACARE Removable Arm Strap Mount \* Push To Lock \* 50X106 - (Right) 50X206 - (Left)



INVACARE Fixed Arm \* Push To Lock \* 50X108 - (Right) 50X208 - (Left)



MOST COMMON INVACARE Removable Arm Brake Fits Invacare style chair \* Push To Lock \* 50X308 - (Right) 50X408 - (Left)



INVACARE Brake Shoe Wedge 80X280 - (1'' wedge) 80X290 - (2'' wedge) 80X270 - (wedge screw)



\* Pull To Lock \*
50x502 - Black (Right)
50x503 - Black (Left)
\* Push To Lock \*
50x504 - Black (Right)
50x505 - Black (Left)
\* Pull To Lock \*
50x520 - Chrome (Right)
50x525 - Chrome (Left)



BREEZY 50X513 - Grips (Pair) 50X514 - Ultra 4 Brakes (Pair)



MRI Stainless Pool Chair 50X131 - (Right) 50X130 - (Left)

### WHEEL LOCKS - 2



### Safe-T Mate Anti Roll Back (SM2-2)

50×600 - Safe T-Mate Anti Roll Back Complete
50×601 - ANTI ROLL EXTENSION KIT 22"-24"
50×602 - Brake Arm
50×603 - Spring Kit
50×604 - Lever Arm
50×605 - Seat Spring Kit
50×606 - Spring
50×607 - Alarm
50×608 - Mounting Kit
50×610 - U-Bolts I"
50×611 - Below Axle Adaptor Kit
50×613 - Lever Arm Kit For sx5
50×669 - FITS 22-24" CHAIRS

#### 50X679 - Safe T Mate EX2 & SX5 MODELS 16"-20" Best Buy For EX2 & SX5 Non-Recliner

This alternate model of our Wheelchair Anti-rollback Device has been specifically designed to fit the popular Invacare Tracer EX2 or Invacare non-reclining SX5 wheelchair.\*\* Because it requires less adjustability, it's more economical to manufacture and that means a lower cost!

Like our popular model SM2-2 Anti-rollback device, this unit automatically prevents the wheelchair from rolling back as the user attempts to stand or sit. As soon as the occupant lifts their weight from the seat, the brake arm grabs the tires and prevents rearward movement. When the user is safely seated, the unit is in standby mode and the wheelchair operates normally.

The device offers an integrated design for a discreet appearance and it does not interfere with collapsing the chair for transport or storage

#### Lower cost with all the desired features!

- Discreet design integrates nicely with the wheelchair
- Does not interfere with quick collapse of the chair
- · Conveniently located override handles directly below handgrips for ease of moving unoccupied chair
- Works with all versions of Tracer EX2 and the non-reclining Invacare SX5 wheelchair.
- Any width chair
- Either axle height
- Permanent or removable arms
- Installs with basic tools in approximately 20 minutes

\*\* Of course our standard Anti-rollback Device (Model SM2-2) also fits the Invacare Tracer EX2 and can be easily transferred between many makes and models of wheelchairs. Whereas, the Model SM-014 fits only Invacare Tracer EX2 or the non-reclining SX5.


# **BRAKE PARTS & EXTENSIONS**



**50X114** - 6" **50X115** - 8" Fits most brakes



**BREEZY Ultra 4 50X117** - 6"



50X140 Brake extension 6" black pair

# **CAPS & PLUGS**



7/8" 22X100 - Gray 22X200 - Black



22XI04- Chrome

E&J - Plastic

21X100 - Gray

21X200 - Black

21X300 - Chrome



22XI0I - Gray 22X201 - Black



22X103 - Gray 22X203 - Black

3/4" O.D.

22XI05- Chrome



# 22XII2 - Gray

7/8" O.D.

22XI06 - Chrome





E&J - Plastic 21X101 - Black 21X102 - Gray



**INVACARE - Plastic** 21X104 - Black 21X107 - Gray

1 3/8" O.D.

THERADYNE 21X105 - Steel

1 3/16" O.D.

E&I 21XII0 - Chrome


	S
INVACARE - Plastic	Ciir
21X106 - Gray	

$\supset$	21X206	3/4''	Gray
3	2IX207	7/8''	Gray
5	21X208	''	Gray
	21X209	3/4''	Black
	2IX2I0	7/8''	Black
	21X211	''	Black

21X201 - Black


T

### **GRIPS**






20X100 - Gray 1/2" X 1/8"





20XI0I - Gray 5/8'' × 1/8'' **Most Common** Brake Grip





20X102 - Gray 5/8'' × 5/16''





20XII3 - Black 9/16'' I.D.





20X105 - Gray 20XIII - Black 1/2'' × 1/8''





20X106 - Gray Plastic




20X107 - Gray





20X402 - Grey Crutch Hand Grip (Sold as a pair)



20XIIO - Black

20X441

Sunrise Grip

Old Style Brake

(Sold as a pair) 20X400 - Crutch Tip Tan 20X426 - Crutch Tip Gray 3/4" 20X417 - Crutch Tip Black 7/8" 20X440 - Crutch Tip Gray 5/8"



77XIII Invacare 9099 Pump Handle Grip



20XII2 - Black Neoprene

PHONE: 800-333-3214

8




20X401 - Grey Crutch Cushion (Sold as a pair)

# WHEELCHAIR FOOTREST



INVACARE Hemi Quad-Lock Footrest - | 3/8" 44X719 Composite Plates (Pair) 44X777 Aluminum Plates (Pair)



INVACARE Hemi Quad-Lock Elevating Legrest - 1 3/8" 44X720 - Black Padded Calf Pad Composite Plates (Pair) 44X915 - Black Padded Calf Pad Aluminum Plates (Pair)



**INVACARE** Quad-Lock Footrest - 3 I/8" 44X790 Composite Plates (Pair) 44X791 Aluminum Plates (Pair)



**INVACARE** Quad-Lock Elevating Legrest - 3 1/8" 44X920 - Black Padded Calf Pad Aluminum Plates (Pair)



E&J Camlock Footrest - 3 I/8" 44X305 Aluminum Plates (Pair)




**E&J** Camlock Elevating Legrest - 3 I/8" 44X985

Aluminum Plates (Pair) comes without pad order 41X136\* for pad

### FOOT PLATES



### **CALF PAD ASSEMBLIES**




### **EVEREST & JENNINGS**

41X134 - Assembly Complete A-G

Α	41X136 DB	Calf Pad Dark Blue
	41X136 B	Calf Pad Black

- 4IXI38 Swivel Bracket В
- 4IXI42 С Spacer
- D 41X143 Clip
- 4IXI44 E Bolt
- F 4IXI45 Nut
- G 41X146 Plate



### **INVACARE**

41X140 - Assembly Complete A-I **41X225** - Includes (B,D,E,F,G,H,I,)

Α	4IXI20	Pad Cover (Specify Color)
	41X136 DB	Calf Pad Dark Blue
	41X136 B	Calf Pad Black
В	41X121	Bolt
С	4IXI22	Calf Pad Black Plastic
D	4IXI23	Pad Plate
Е	4IXI24	Swivel Bracket
F	4IXI25	Spring
G	41X126	Bushing
Н	4IXI27	Nut
I	4IXI39	Spacer Oval (not pictured)

# LOCK & RELEASE LEVERS





42X104 - RT 42X204 - IT **INVACARE** - Release Levers

42X110 - LT 42XIII - RT **INVACARE** - Springs

42X105 - LT 42X205 - RT E & | - Release Levers 42X108 - LT 42X109 - RT

E & J - Springs

# **FRONT RIGGING & FRAME** BERE RESERVED

40X100 Steel Foot Plate **Tension Spring** 

20



40X124 Heel Loop (Sold as each)

40X125 Toe-Loop Black (Sold as a pair)



Foot Rest Leg Rest Lock (Sold as a pair)



HOURS: 8 AM-5 PM CST

PHONE: 800-333-3214

FAX: 800-444-4176

# **ANTI-TIP BARS (FRONT AND REAR)**



(Sold as each) Fits over 7/8" tubing

> **ANTI-TIPPER** PARTS 7IX105

> > Spring

(Single Pin)

7IX205

Spring (Double Pin) \*Replacement Spring\*



(Sold as each) Fits inside 7/8" tubing

99X206

DUAL ROLLER

99X207

WITH TIP



(Sold as a pair) Fits inside 7/8" tubing





INVACARE

99X200

Anti-Tipper (Front)

7/8" tubing

99X500

I" tubing



Fits I" tubing \*\*Push Button\*\*



**INVACARE** 99X306 - 7/8" tube

Fits inside 1" tubing



**UNIVERSAL** Front Anti Tipper 50X619

2



**INVACARE - DLX 99X300** - 3/4'' tube

Fits inside 7/8" tubing



**INVACARE - EX2** Rear Anti Tipper Pair 99X332



**INVACARE - 9sl, 9xt** Super Hemi 99X333



99X219 WITH TIP

Fits 1" tubing \*\*Clamp On\*\*



UNIVERSAL



**UNIVERSAL - Safe T-Mate** Rear Anti Tipper Pair 50X615



99X304 - I" tube

Fits over 7/8" tubing



Fits 7/8" tubing

\*\*Clamp On\*\*

**INVACARE** 99X30I - 7/8" tube

Fits inside I" tubing



# WHEEL PARTS & FORKS

```
HAND RIMS
```

Part #	Attach Points	Diameter (ctr. to ctr.)	Brand
63X101	4	20 1/8"	E & J
63X102	4	20 1/4''	Theradyne
63X104	4	20 3/4"	Invacare
63X105	4	21 1/8"	E & J
63X200	6	21 1/4'' Overall	Invacare
63X201	7	20 I/4'' Overall	Invacare
63X202	7	21 5/8'' Overall	E & J
63X203	4	21 1/4"	E & J

When placing order for an item you do not see, specify: wheelchair make, brand, serial number, distance between holes (A)

<b>∃</b>	SCREW	SPAC LENG		SCRI LENC		
ヨレ		60X001	1/2''	60X006	3/8''	
		60X002	5/8''	60X007	/2"	
	(60X119)	60X003	3/4''	60X008	5/8''	
		60X004	7/8''	60X009	3/4''	
SPACER		60X005	''	60X010	7/8''	

### FORK & STEM

9 10 11 12	62X340 62X131 62X135 62X305	INVACARE EX2 - INVACARE - Fork INVACARE - Fork INVACARE - Fork	& Stem Black 6''	
mo be and and ME	dels of Fron looking for. I serial num availability. DLINE, and	about other t Forks you may Call with model ber for pricing E&J, DRIVE, GENDRON ds not listed here.		

# **TIRES & TUBES**

### TIRES



Urethane Pyramid Shape Cords are molded into the base of the tire 60X223 - 24" X I"



EVEREST & JENNINGS Snap-on Tires (shaped) 60X110 - 8'' × 1''



**60X230** - 14'' × 3'' 3.00-8



**60X235** - 22'' X I'' Poly Low Profile



**60X245** - 20" X I" Low Profile Snap-on Urethane



INVACARE Original Equipment. 60X224 - 24'' X I'' Urethane Low Profile No Cord Inside Tire On 9-Spoke Mag Wheel



**60×226** - 13'' × 4'' 4.00-5




**60X233** - Grey Pneumatic 9x350-4 c203 Tread 50psi It



**60X239** Pneumatic 410-350-5 c156 Tread 50psi



**60X672** - 14'' × 2.125''





**60X227** - 13'' × 4'' 4.00-5



**60×231** - 14" × 3" 3.00-8 90-degree stem



**60X240** - 14'' X 3'' 350x4




**60X475** 4.80/4.00-8



**60X655** 3.00-8 90-degree stem

### POLYURETHANE SNAP-ON TIRES



**60×229** 4.10 / 3.50-5



**60X232** - 14'' X 3'' 3.00-8 straight stem



**60X309** 200-50 90-degree stem



**60×572** - 12.5'' × 2.25'' straight stem



**60X772** - 14'' X 2.125'' straight stem

### 20"-24" PNEUMATIC TIRES & TUBES



60X11824" × 1 3/8"60X14620" × 2.125"60X21022" × 1 3/8"60X21120" × 1 3/8"



60×11324" × 1 1/4"60×14424" × 1 3/4"60×14520" × 2.125"60×20822" × 1 3/8"60×21220" × 1 3/8"



**RIM STRIPS** 

**60XII2** 24" X | 3/8"

### **8" PNEUMATIC TIRES & TUBES**





### PNEUMATIC TIRES SEMI-P

### SEMI-PNEUMATIC TIRES



TUBES

(AIR) 60×104 8" × 1 1/4" (32-135) 60×105 8" × 1 3/4" (200×44) 60×205 8" × 2" (200×50) (SOLID) 60X206 8'' × 2'' (200×50) **60×107** 8" × 1 1/4" (32-135) 45-deg stem **60×108** 8" × 1 1/4" (32-135) 45-deg stem **60×109** 8" × 1 3/4" (200×44) 90-deg stem **60×209** 8" × 2" (200×50) 45-deg stem

# **SCOOTER TIRES & TUBES**



**60X217** - Grey (200 / 250x4)



**60X218** - Grey (250x4)



**60X219** - Grey (200×85×4) 10×3.00 3.00×4



60X220 - Grey \*\*Smooth\*\* (260x85x4) 10x3.00 3.00x4



60X221 (280/250×4) 60X222 (260X85×4) 10×3.00 3.00×4

# WHEELS (8" & 6")



### 8" MAG WHEEL



#### 6" MAG WHEEL

 GREY

 62X102
 7/16'' Bearings

 62X104
 5/16'' Bearings

 BLACK

 62X201
 7/16" Bearings

 62X202
 5/16" Bearings

 62x208
 7/16" (7.5" BLK)

 62x209
 7/16" " EX2

 62X215
 5/16" & 1.5" HUB

GREY 62X300 - 6" × 1" (7/16") 62X301 - 6" × 1" (5/8") BLACK 62X302 - 6" × 1" (7/16") 62X303 - 6" × 1" (5/8")

62X140 - 6" × 1" (5/16 Super Hemi)

8" X I I/4" WHEEL

WITH SEMI-PNEUMATIC TIRE

### **8" PNEUMATIC & SEMI-PNEUMATIC WHEEL ASSEMBLY**



#### 8" X I I/4" WHEEL WITH PNEUMATIC TIRE

**GREY** 62XII3 7/16'' Bearings 62XII4 5/16'' Bearings **BLACK** 62X213 7/16'' Bearings 62X214 5/16'' Bearings **GREY** 62X119 7/16'' Bearings 62X120 5/8'' Bearings

WHEEL ASSEMBLY (20", 22", 24")

BLACK 62X219 7/16'' Bearings 62X220 5/8'' Bearings

#### 8" X 2" WHEEL WITH SEMI-PNEUMATIC TIRE

BLACK

**62X123** 5/16'' Bearings **62X322** 7/16'' Bearings **62X422** 5/16'' Bearings



**64X108** Flat Free Insert Aluminum Handrim 20'' X | 3/8'' 7/16'' axle



64X220 - Black INVACARE Mag 9 spoke 24'' X I'' 7/16'' axle MOST COMMON



64X22I - Black Mag 9 spoke 24'' X I'' 5/8'' axle



**64X275** - Black Mag 22'' X I'' 7/16'' axle




**64X400** - Black Mag 6 spoke 20'' × 1'' 7/16'' axle

FAX: 800-444-4176

### **RECLINER PARTS – I**

### **EVEREST & JENNINGS RECLINER (PARTS)**



L	65X106	Spreader Bar (14''-16''-18'') <b>[Specify]</b>
2	65X105	Linkage (Spreader Bar)
3	65X109	Release (Universal)
4	65X209	Back Post (Universal)
5	65X309	Upper Recline Lock Attached Hardware
6	65X409	Back Post Pivot Attached Hardware
7	65X509	Cable
8	65X609	Lower Recline Lock Attached Hardware
9	65X222	(Pair) Full Recline Lock Mechanism




30X202 - Black Cross Brace Rail Glides Removable Arm



30X104 - White 30X204 - Black Cross Brace Rail Glides Fixed Arm

#### **INVACARE RECLINER (PARTS)**



Spreader Bar [Fits Invacare 9000 Recliner]



# **RECLINER PARTS – 2**

С





G















Κ






- 65X104 Piston Tuffcare (not pictured) 65X700 Cable Tilt Htr5500 (not pictured) 65X701
- Cable Recline (A) 65X702
- Piston Recline (B)
- 65X703 Cable Tilt Lf Side (not pictured)
- 65X705 Cable Footrest (C)
- Piston Footrest (D) 65X706 65X712
  - Cable Recline **(E)**

- Piston Recline Broda (F) 65X718
- 65X720 Piston Tilt Under Seat Broda (not pictured)
- 65X721 Cable Recline Solara (G)
- Cable Tilt Solara (H) 65X725
- Cable A-T & Compass () 65X727
- 65X728 Cable Tilt Solara (K)
- Actuator Broda **(L)** 65X729
- 65X773 Piston Tilt Rt (M)

# UPHOLSTERED GOODS





**I6X301** Padded Lap Tray w/ Velcro Straps.



90X551 - 18'' Adult Velcro H-Strap \* for use on footrest 16-20'' black \*


#### Specify Chair Size




**90X553** - Black Calf Pad Panel w/ Velcro Strapping

### \* = See Pg. 8 for available colors

# PATIENT / WHEELCHAIR RESTRAINTS




Wheelchair Safety Belt (Front Buckle) Front buckle with side release 54'', adjustable length W3X105 - 54''



Wheelchair Safety Belt (Rear Velcro) W3X109 - 56'' \* For patients that will not stay in their chair \*


### WHEELCHAIR SAFETY BELTS



Wheelchair Safety Belt (Rear Buckle) Back buckle with side release 60", adjustable length W3X106 - 60" \* For patients that will not stay in their chair \*



Wheelchair Safety Belt (Auto Buckle) Front Buckle with push button release 54'' Adjustable length. W3XII0 - 54''



Wheelchair Safety Belt (Front Velcro) W3X108 - 56'' \* Keeps patients positioned in their chair \*

#### PATIENT TRANSFER BELT



 W3X101
 54" Belt

 W3X102
 60" Belt

 W3X103
 72" Belt

 W3X104
 80" Belt

#### SIDE RELEASE BUCKLE



**W3X115** - 2 pieces Belt looped ends Side release buckle

FAX: 800-444-4176

# **ADAPTIVE SEATING**

#### **VELCRO HOOK & LOOP**




#### 50 Yard Roll

9IX555	2'' Hook Black
9IX558	2'' Loop Black
9IX222	2" Hook White
9IX338	2" Loop White
9IXIII	I'' Hook Black
9IX448	I'' Loop Black
9IX333	I'' Hook White
9IX668	I'' Loop White

25 Yard Roll		
9IX777	2'' Hook Black	
	(Self stick)	
9IX888	2" Loop Black	
	(Self Stick)	
9IX222	2'' Hook White	
	(Sticky back)	
91x223	2" Loop White	
	(Sticky back)	
91x780	I'' Hook Black	
	(Sticky back)	
91x891	I'' Loop Black	
	(Sticky back)	
91x779	I" Hook White	
	(Sticky back)	
91x890	I" Loop White	
	(Sticky back)	


#### **BLACK NYLON WEBBING**



**91X700** I'' Black **91X701** 2'' Black

\* sold by the roll \*

#### BUCKLES



# COMMODE / SHOWER CHAIRS - I



#### STEEL COMMODE

**FIXI02** - 300 lbs capacity Lumex 3 Function. Grey coated steel. Adjustable legs. Clip on solid plastic seat. Comes with pail and splash guard.



#### DROP ARM COMMODE

FIX107 - 300 lbs capacity Arms drop independently. Full length plastic arm rest. All welded construction. Height adjusts in 1'' increments. Chrome plated steel frame.



**COMMODE AID FIXII3** - 300 lbs capacity Hinged toilet seat. Splash guard. For use over toilet or (with optional bucket) as a stand alone commode. Adjusts 18''-23''



PVC SHOWER CHAIR FIXII5 - 300 lbs capacity 18" Seat width

# COMMODE / SHOWER CHAIRS - 2



X-WIDE COMMODE FIX108 - 400 lbs capacity Chrome plated steel frame. Plastic arm rest. Includes pail with lid.

Height adjust	19''-23'
Overall Width	27''
Overall Depth	21''
Width Between Arms	24''



WIDE COMMODE FIX300 - 400 lbs capacity Can be used over toilet.

Adjustable Heights	16.75''-23.75''
Seat Width	23''
Seat depth	18.25''



X-WIDE PVC SHOWER CHAIR FIX400 - 400 lbs capacity 24'' Seat Width

**FIX401** - 300 lbs capacity 21'' Seat Width



ALUMINUM REHAB SHOWER COMMODE CHAIR WITH 4 REAR-LOCKING CASTERS AND 5" CASTERS

FIX444 - 275 lbs capacity

- Can be positioned over a standard toilet or used as a portable self-contained commode.
- Floor to seat height can be adjusted 2" without tools.
- White aluminum frame is attractive and rust resistant.
- Padded seat back and arms.
- Height adjustable.
- Comes with swing-away footrests.



BARIATRIC ALUMINUM SHOWER CHAIR WITH 4 LOCKING CASTERS FIX555 - 500 lbs capacity

- Can be positioned over a standard toilet or used as a portable self-contained commode.
- Floor to seat height can be adjusted 4" without tools.
- White aluminum frame is attractive and rust resistant.
- Padded seat back and arms.
- Height adjustable.
- Comes with swing-away footrests.



ALUMINUM REHAB SHOWER COMMODE CHAIR WITH 24" WHEELS ELY666 275 the capacity

FIX666 - 275 lbs capacity

- Can be positioned over a standard toilet or used as a portable self-contained commode.
- White aluminum frame is attractive and rust resistant.
- Padded seat back and arms. Seat cut-out provides maximum comfort and convenience.
- Height adjustable.
- Comes with swing-away footrests.

# **COMMODE / SHOWER CHAIRS - 3**

#### **ROLLING PORTABLE SHOWER CHAIR**



**FIXII0** - 250 lbs capacity The Drop-Arm Transport Chair Commode is designed with a drop arm and removable swing-away footrests for easy patient transfer. It has a padded seat that fits over the commode, converting it into a transport chair. Bucket and lid are included.



- FIXI20 300 lbs capacity
- 3'' Non-skid, rust resistant, swivel casters (2 rear locking)
- Anodized aluminum frame
- Back removes for easy cleaning (tool free)
- Comes with removable 12 qt commode bucket and cover
- Easily assembles without tools
- Padded, open front, vinyl toilet seat
- Plastic armrests

#### **COMMODE PAILS & PARTS** INVACARE INVACARE **INVACARE** 15X104 15X110 15X111 Commode Pail Commode Pail MOST 15X117 15X118 15X113 Splash Guard Plastic Commode Pail Nut & Bolt 00 00 PLASTIC 15X125 MOST MOST HINGE **15X135** - White 15X120 Metal Safety Frame Bracket 15X136 - Black (for FIX301) MOST MOST MOST CHROME ALL PADDED HINGE PLASTIC 15X130 15X137 15X155 WHITE

PHONE: 800-333-3214

FAX: 800-444-4176

31

# **TOILET ACCESSORIES**



#### RISER

FIXI03 - w/ Handles FIXI04 - w/o Handles Clamp on style. Fits most toilets. Molded plastic with foam padded armrest.

Seat Height	4.75''
Width	20''
Length	17"
Between arms	16.25"

UNIVERSAL RISER

• Ridge holds unit on bowl

• Molded plastic

 Color: White • Raises seat 4"

FIXI14



#### SAFETY ARM FRAME FIXI12

Mounts entirely on the toilet. Raises seat height I". Double reinforced anodized aluminum. Plastic sleeves prevent marring of bowl. Width between arms - 18"

#### **RUBBERMAID - RISER** W/ HANDLES **FIX203**

Clamp on style. Fits standard & elongated toilets. Molded plastic with foam padded armrest. Off-set Handles.

Seat Height	5.50"
Width	17''
Length	15''
Between arms	17.75"

**TOILET SEAT RISER** FIX503 - Elongated FIX603 - Standard Use your existing toilet seat elevator and add 3.5 inches to the height of almost any standard or elongated toilet.



#### HINGED TOILET SEAT RISER

FIX800 - Standard FIX801 - Elongated Bolts directly to the toilet for added safety and adds 3.5" to the height of the toilet seat to aid in sitting and rising. Hinged design makes cleaning easier and it can be used with original toilet seat and lid. Installs easily.

FIX703 - 2"

FIX803 - 4"



SAVANAH TOILET SEAT RISER 2" & 4"

Gentle downward slope toward the front makes getting on and off easier. Lightweight, all plastic construction offers strength, durability and warmth. Fully sealed unit cleans with a hard-surface disinfectant. Two L-shaped molded-plastic brackets keep the raised seat firmly on the toilet. Can be adjusted to fit onto most sizes and shapes of toilets. Fitting and removing the seat is quick and easy.

Length X Width 13 3/4" X 15 1/4" **Bracket Adjustment** 12" - 15" Seat Opening 10.6'' × 8'' Weight Capacity 420 lbs.

FIX301 - Toilet Safety Frame 15X125 - Bracket

Anodized aluminum frame.

Height adjust 27.5" - 31.5" Width Adjust 20" - 24" Depth 18.75"



#### 32 PHONE: 800-333-3214

FAX: 800-444-4176

# **CASTER & SOCKETS**



7/8 Plastic



**95XI37** 5/8'' × 5/16''



95×220 5" Twin Caster Sold in set. 2 lock, 2 non-lock



**95X118** | 1/4'' X 7/16'' Metal



**95X138** | 7/16'' X 7/16'' Plastic



**95X225** 3" Twin Caster Sold in set. 2 lock, 2 non-lock



**95X120** 3/8 Stem



**95X121** 3/8 Stem Joerns



**95X133** 7/16 Stem Joerns



**95XI39** I 5/8'' X 7/I6''



**95X230** 4" Twin Caster Sold in set. 2 lock, 2 non-lock



**95×239** Adjustable Pin for PVC Chair



**95X215** 4" X I" Caster Wagner - Sold in set. 2 lock, 2 non-lock



**95X200** - 2'' Caster w/ Brake **95X202** - 2'' Caster w/o Brake



STEINCO DELUXE 95X145 Sold in set.

2 lock, 2 non-lock

UNIVERSAL BED CASTER



**95X116** - w/o Brake **95X117** - w/ Brake 3" X 7/16" X 1 7/8" Stem



STEINCO 95X210 - 5'' Sold in set. 2 lock, 2 non-lock



**95X148** - w/ Brake 3'' X 7/16'' X | 1/4'' Stem



**95X147** Sold in set. 2 lock, 2 non-lock

### **BED PARTS**



INVACARE SOLO I3XI77 - 6-button



S/D INVACARE PENDANT 8-Pin Round Plug I3X200 - 4-button I3X20I - 6-button



JOERNS PENDANT 8-Pin Phone Plug I3X206 - 4-button I3X207 - 6-button



LUMEX PENDANT 8-Pin Phone Plug I3X202 - 4-button I3X203 - 6-button



LUMEX PENDANT 9-Pin Computer Plug I3X209 - 6-button I3X210 - 4-button



SMITH DAVIS PENDANT

6-Pin Phone Plug

**I3X204** - 6-button

INVACARE IVC PENDANT Phone Plug I3X354 - 4-button I3X355 - 6-button



INVACARE PENDANT I5-pin phone plug I3X2I2 - 4-button I3X3I2 - 6-button




LUMEX WHISPER LITE PENDANT Phone Plug I3XII8 - Full Electric I3XII9 - Semi Electric





JOERNS I3XI3I - 6-button

# **BED RAIL & PARTS**



#### BED RAILS A5X100

Telescoping. Internal spring-loaded cross braces. Fits all standard and electric hospital beds. Spring loaded pull button. Head or foot of bed may be raised independently.


Height (raised position)	16.5''
Crossbar width	29'' - 44'
Length	47'' - 72'



#### **BED RAIL BUMPER PADS**

A5XI0I - 54" X 13"

- Beige (wipe clean) vinyl.
- Velcro closure.
- Prevents patient from entangling in bed rails.




#### HALF LENGTH BED RAILS A5X220 - Sold as set Clamps on to the frame of bed. Chrome plated steel. Easy release drop lever.

 Overall length
 43''

 Height above spring
 16''

 Weight
 13 lbs



### I/2 BED RAIL BUMPER PADS

**A5X201** - 36'' × 14''

- Blue (wipe clean) vinyl.
- Velcro closure.
- Prevents patient from entangling in bed rails.



#### HALO BED RAIL (FITS HOSPITAL BED)

**PL-805** - Single Side **PL-815** - Pair

- The Halo Safety Ring, the only patented institutional bed mobility device that prevents lateral mattress movement, and gap space in the most critical zones: 1, 2, 3, & 4. The Halo Safety Ring meets and exceeds the HBSW and FDA's final dimensional guidelines against bed entrapment. The Halo Safety Ring passes the new "Bed System Measurement Device" pass/fail test that has been approved for Bed System testing by the FDA and state surveying teams.
- Provides exit points for neck, head, & chest and eliminates the four most critical zones of entrapment.
- Meets FDA guidelines for patient transfers & therapy bedside assistant for both patient transfers & therapy.
- Promotes bed mobility & increases environmental independence.
- Prevents lateral mattress movement and gap space elimination in the most critical zones: 1, 2, 3, & 4

### **BED EQUIPMENT**



#### BED CRADLES 6435


Posey bed cradles hold the sheets and blankets up off the patients feet. Sturdy steel frames clamp easily and securely to the mattress to prevent the device from moving but are easily removed to make the bed.



#### OVERBED TABLE

**O6X200** - H-Base **O6X325** - U-Base (not shown)

- **Height** 28''-45'' Infinitely adjustable throughout height range.
- TopWalnut wood grained melamine laminate on 3/4" particle board core.Flush mount T-molded plastic edge.3/4" tall × 15" wide × 30" long.
- FrameChrome plated 14 and 16 gauge welded tubular steel column and base.13 gauge stamped steel support bracket.
- **Casters** | 1/2" hooded ball casters with ball bearing swivels.
- Weight 27 lbs. UPS shippable.




LUMEX A5XII3 - Trapeze A5XII4 - Base



**O6X230** - Table Top only (30'' × 15'') **O6X401** - Drawer w/ Mirror

# CALL CORDS

### MOMENTARY




Single Call Cord		Double Call Cord		
6IXI00	6 Feet	6IX103	8 Feet	
6IXI0I	8 Feet	6IXI33	10 Feet	
6IXI02	10 Feet			

#### Single Momentary Cord, 1/4in Plug

2 Conductor - Flush Button - Molded Flame Retardant Material - Pendant Internally Reinforced With Metal Casing -Repairable Pendent - Comes With Non-Removable, Plastic Bedsheet Clip

### **GERIATRIC PAD CALL - OXYGEN SAFE**



### Single Call Cord

61X116 8 Feet Slightest touch 61X117 10 Feet activates the PADCALL.

#### Single-Momentary-Gray

UL Listed - 1/4in Phone Plug - For Use In Oxygen Environment-Fits Virtually All Nurse Call Systems - Includes Stainless Steel Bedsheet Clip - Light Touch Activates The Nurse Call


### NURSE CALL CORD - LOCKING



Single Call CordDouble Call Cord61X1406 Feet61X1438 Feet61X1418 Feet61X14210 Feet

#### Locking Call Cord, 2-Cond.

2 Conductor I/4in Phone Plug - Molded From High-Impact, Flame-Retardant Material - Comes With Non-Removable Stainless Steel Security Clip



### AIR ACTIVATED PRESS CALL CORDS

Single Call Cord		Double Call Cord		
6IXI05	6 Feet	6IXII2	6 Feet	
6IXI06	8 Feet	6IXII3	8 Feet	
6IXI07	10 Feet	6IXII4	10 Feet	

#### Presscall® Single Momentary

UL Listed - Air Activated Oxygen Safe, Needs Only 6 Ounces Of Pressure To Activate. I/4 Inch 2-Conductor Phone Plug Compatible With Most Systems, Includes Stainless Steel Bedsheet Clip.

### GERIATRIC NURSE CALL CORDS

Single Call CordDou61X1238 Feet61X61X22310 Feet61X

 Double Call Cord

 61X323
 8 Feet

 61X423
 10 Feet

#### Geriatric Cord, Single, 1/4in Plug

Momentary Cord With 2 Conductor Cord And I/4in Phone Plug - Pressure Sensitive Pad Is Activated By Lightly Pressing Pad - Includes Non-Removable Stainless Steel Bedsheet Clip



# 


61X315 8 Feet 61X316 10 Feet 61X317 12 Feet

**ULTRA SENSITIVE TOUCH PLATE** 

#### EasyGrip-Sgl Momentary Cord 1/4 Plug

ULI069 Version. Contoured rim for control-Oxygen Safe- Water Resistant-High Impact Pendant-Electro Static Discharge (ESD) Resistant-Flame retardant materials--Extended switch life (over 30,000 activations) Free Non-Removable Stainless Steel Security Clip


### COILED NURSE CALL CORD



Expands from 4 feet to 15 feet

Single Call Cord 61X207

Double Call Cord 61X208



Moisture and dust resistant switch. 10 foot cord. 3 year warranty.

Blue with Grey Cord 61X209

# **CLIPS & CONDUCTORS**



61X104 - Grey 61X204 - White For momentary nurse. Call Cords. Kit includes: I pendant, I switch, I cable tie, 2 Lugs.



**61X118** Wire Crimp Lug



**61X126** Velcro Clip



61×108 - 10/pack Double clip w/ bead chain



61×119 Y-adapter: 1/4'' Phone Plug. 2-conductor converts single cords to dual.



61X135 Momentary switch normally open 5/8" diameter.



**61×110** - 10/pack Fits 2 & 3 Conductor cable.



**61×120** Hand Bell 4" Diameter 7" High.



**61×136** Plastic cable tie. Strain Relief 4''



**61XIII** - 10/pack Snap attachment



61X125 - 10/pack Bedsheet clip with tie wrap



**61X137** - 5/pack I/4'' Dummy. Phone plug for 2 or 3. Conductor Jack.



6IXI24 Wire



**61×138** 1/4" Phone plug 2 conductors



61×139 - 10/pkg White Plastic Bed Sheet Clip

# **HOYER SLINGS & PARTS**

### HOYER 4 POINT PATIENT SLING (USE ON HML400 OR PARTNER)

SIZES (LBS): Small (55-110 lbs) • Med (99-210 lbs) • Large (198-350 lbs) • X-Lg (270-600 lbs)



Nylon Mesh Bath Sling

50020 X-Large 50021 Large 50022 Medium

50023 Small



Nylon Mesh Bath Sling w/ Head Support

ge	50025	Large
	50026	Medium
Im	50027	Small

Available color - **Grey** 



Padded U-Sling

70000X-Large70001Large70002Medium70003Small



Padded U-Sling w/ Head Support

 70010
 X-Large

 70011
 Large

 70012
 Medium

 70013
 Small

allop

I Piece Sling w/ Positioning Strap

70051Large70052Medium70053Small

I Piece Commode Sling w/ Positioning Strap

70056 Large70057 Medium70058 Small

Available color - Green

38 PHONE: 800-333-3214

Available color - Green

# PATIENT LIFTS - I



HOYER LIFTER JACK C-HLA-J Chrome Hydraulic Jack (Knob Release) INVACARE PUMP 9099

\*Push Button jacks are no longer available\*



### DELUXE SILVER VEIN KIT, LOW HYDRAULIC

PL-310DR - 450 lbs capacity

- Silver Vein steel construction provides maximum strength.
- 6 point Swivel Bar that can accommodate, 2 or 4 sling straps, plus 2 chain connections.
- Safely raises or lowers individuals from any stationary position.
- High-performance hydraulics raise or lower individuals gradually and safely.
- Comes standard with 5" casters.
- Easy-to-operate caster brakes provide additional security.
- Adjustable-width base.



INVACARE RELIANT 450 BATTERY-POWERED LIFTRISER PL-305 - 450 lbs capacity

This all-encompassing battery-powered lift system lowers costs and helps to protect both caregivers and users from injury. The sturdy lift supports up to 450 lb., making potentially challenging transfers smooth. Includes in-service training and videos.



INVACARE RELIANT 350 BATTERY-POWERED LIFTRISER PL-315 - 350 lbs capacity

The Invacare Reliant 350 Stand-Up Lift with Base features battery-powered lifting for ease of use and smooth transfers. Adjustable kneepad to safely and comfortably accommodate a wide variety of body shapes and sizes up to 350 lbs.



TRANSFER SLING (TOILETING) PS-104 - 60'' Waist Belt

For users who have at least 60% weight bearing capacity, have head and neck control, are able to bend at the hip, knees and ankles and can sit up on the edge of the bed. Use with the Invacare Reliant 350. Aids in standing assistance, quick toileting, weight bearing practice and transfers.



STANDING SLING PS-105 - 60'' Waist Belt STANDING SLING - XL PS-106 - 84'' Waist Belt

For users who have minimal weight-bearing capacity, have head and neck control, are able to bend at the hip, knees and ankles and can sit up on the edge of the bed. Use with the Invacare Reliant 350-Easily transport user from bed to chair, chair to car, or general in-room transport.

# PATIENT LIFTS - 2



LIKO LIFT PENDANT I3X161



EZ WAY LIFT PENDANT I3XI55



LUMEX SIT 2 STAND LIFT PENDANT I3XI72



EZ WAY BATTERY 13X180 - 3 Prong 13X185 - 4 Prong



LUMEX SIT 2 STAND LIFT PENDANT I3XI79



42 ALPINE LIFT I3X250



INVACARE RPS350 / 450 / RPL600 CHARGER 77X100



**INVACARE RPS350 / 450 / RPL600** 

PENDANT

77X101



INVACARE RPS350 / 450 / RPL600 CONTROLLER 77X102



INVACARE RPS350 / 450 / RPL600 BATTERY 77X103



INVACARE RPS350 / 450 / RPL600 CHARGER CORD 77X104

# **STETHOSCOPES**



### 22" SPRAGUE STETHOSCOPE Q8X103

Prestige professional Sprague's with accessory kit

The most widely used stethoscope in the healthcare industry. With its unique 5-in-1 design, the Sprague-Rappaport stethoscope is the most versatile stethoscope available. Comes with a full accessory pouch with interchangeable parts to convert the stethoscope to suit the user's requirements.

Colors	See Sprague chart below for color selection. (Stocked in Black)
Accessories	Soft PVC eartips, adult and pediatric diaphragms, pediatric disc and
	diaphragm assembly
Length	Аррх. 30''
Weight	Appx. 7.2 oz
Warranty	Lifetime with Free Lifetime Replacement Parts
Ideal For	General Practitioners, Nurses, Nursing Students, Medical Students, ER, EMTs
	(We carry all Littman stethoscopes, call to inquire)



**SINGLE HEAD STETHOSCOPES Q8X104** - Stocked in Black Professional style stethoscopes. See Sprague chart below for color selection.



**DUAL HEAD STETHOSCOPES Q8X105** - Stocked in Black Professional style stethoscopes. See Sprague chart below for color selection.

## AVAILABLE COLORSAqua Sea • Black • Burgundy • Ciel Blue • Grey • Hot Pink • Hunter • Navy • Neon Blue<br/>Neon Green • Neon Pink • Purple • Red • Royal • Stealth • Teal • Frosted Purple

## **BLOOD PRESSURE**



AVAILABLE COLORS (Adult size only) \* Stocked in Black \* SPYGMO-MANOMETER Q8X202 - Child Q8X302 - Large Adult Q8X402 - Adult (Best Buy)

Easy to read aneroid features a no-stop pin, rugged and built to provide excellent service.

Black • Lt. Blue • Boysenberry • Burgundy • Jade • Lavender • Magenta Navy • Pink • Purple • Raspberry • Royal Blue • Teal • Turquoise

## **STETHOSCOPES & B/P PARTS**



17X100 Y-Tubing \*Specify Color\*

**17X101** - 1/4" **I7XI05** - 3/8'' **Binaurals** 



17X102 - 3/16" Soft-Black **17X108** - 1/4" Soft-White



17X103 Single Head



17X104

Dual Head

17X107



Sprague

Rappaport Head



17X109 - 3/16" Plastic-White **17X106** - 1/4" Plastic-Black



17X110

17X111

Diaphragm Small

17X112 - Retain Diaphragm Large **Ring Small** 

17X113 - Retain

**Ring Large** 



17X114 Disk-Large 17X115 Disk-Small



**17X118** - 1/4" Soft-Clear Diaphragm Black 17X117



18X105 Gauge

Diaphragm White



18X106

Tubing - 8 feet

18X132


Tubing - 4 feet

17X120





18X107 Connector



### UNIVERSAL NYLON CUFF

18X100 Adult 18X108 Child 18X109 Large Adult



## UNIVERSAL BLADDER

8X101	Adult 2 Tube
8X110	Child 2 Tube
8XIII	Large Adult 2 Tube
8X112	Adult I Tube
8X113	Child I Tube
8X114	LG. Adult   Tube

# **DIAGNOSTIC EQUIPMENT**



### **RISTER OTOSCOPE**

### TIXII3

Comes with 3 speculas and plastic case. Batteries NOT included.

- Set includes
  - removable cap • swivel lens
- 3 autoclavable specula (4mm,5mm and 6mm)
- "C" size battery handle (Batteries NOT included)

PHONE: 800-333-3214





17X130 Littman Ear Tips Black, Soft Sealing

18X103 Standard Bulb

Standard Valve 18X115 Baum Valve

18X104

# WHEELCHAIR CUSHIONS - I



#### ROHO

High Profile for maximum pressure relief. Low Profile for better stability. Top of the line cushion for treatment of the skin breakdown. Many sizes available. Specify size by inches or by cell count.

High Profile	Low Profile
<b>J2AA64I</b> [6'' × [6'	<b>J2AA62I</b> [6'' X [6''
<b>J2BA64I</b> 18'' X 16'	<b>J2BA621</b> 18'' X 16''
<b>J2BB64I</b> 18'' X 18'	′ <b>J2BB62I</b> ∣8'' X ∣8''
<b>J2CA64I</b> 20'' X 16'	<b>J2CA62I</b> 20'' X 16''
<b>J2CB64I</b> 20'' × 18'	<b>J2CB62I</b> 20'' × 18''



J2 CUSHION J2AA4II - 16" × 16" J2BA4II - 18" × 16" J2CA4II - 20" × 16" J2BB4II - 18" × 18"

Superior positioning assistance with accessories and easy-cut modifications. Jay Flow Fluid provides outstanding skin protection and added comfort foam. Contoured foam base supports and stabilizes pelvis. Resists bottoming out.



COMBI CUSHION J2AA44I -  $16'' \times 16''$ J2BA44I -  $18'' \times 16''$ J2BB44I -  $18'' \times 18''$ J2CA44I -  $20'' \times 16''$ Dual density foam provides increased postural control. Two styles: original and soft for varying comfort tastes. Ultra durable-5 year warranty. Moisture resistant cover and optional lumbar support.



DUO CUSHION J2AA461 -  $16'' \times 16''$ J2BA461 -  $18'' \times 16''$ J2BB461 -  $18'' \times 18''$ J2CA461 -  $20'' \times 16''$ Encourages self-propulsion with low floor to seat height. Jay Flow Fluid for skin protection. Contoured aluminum pan for positioning. Soft, comfortable foam sealed with urethane. Includes two easy care covers.



JAYCARE CUSHION J2AA491 -  $16'' \times 16''$ J2BA491 -  $18'' \times 16''$ J2BB491 -  $18'' \times 18''$ J2CA491 -  $20'' \times 16''$ Contoured for comfort and positioning. Accommodates posterior pelvic tilt. Jay flow fluid for skin protection. Curved bottom compensates for sling.



ULTRA FORM J2BA53I - Wedge J2BA54I - 2.5'' Cushion J2BA55I - 4'' Cushion High performing pressure relief cushions. Conforms to contours of patient. Selfadjusting. Does not bottom out like eggshell and other foam. Each cell cradles any boney area while surrounding cells disperse pressure. Size: 18'' x 16''



M2 ZERO GRAVITY COMFORT J2AA37I -  $16'' \times 16''$ J2BA37I -  $18'' \times 16''$ J2CA37I -  $20'' \times 16''$ ZERO ELEVATION - The M2 Zero Elevation cushion allows for greater freedom of movement for standard positioning issues. Deep lateral and medial leg contours promote postural alignment. Coccyx relief cutout eliminates pressure on the tailbone and spine.

# WHEELCHAIR CUSHIONS - 2



### FOOT PILLOW J2X108

Relieves pressure on foot, heel and ankle. One size fits all. Velcro closure.



### WEDGE

J2BA591 - Wedge (18×16'') J2AA591 - Wedge (16×16'') Curved bottom eliminated ham mocking effect. Firm foam with a removable non-skid, waterproof grey cover. Wedge from 2'' to 4''. Promotes good posture.



DRIVE ADJUSTABLE BACK JIACB841 - 16" to 20"

JIACB844 - 22" to 24"

- Perfect solution for patients with mild positioning needs
- Versatile back support system that improves patient comfort and posture
- I" thick high density foam pad provides optimal pressure redistribution



BASIC "DRIVE" CUSHION J2AA971 -  $16" \times 16" \times 2"$ J2BA971 -  $18" \times 16" \times 2"$ J2BB971 -  $18" \times 18" \times 2"$ J2CA971 -  $20" \times 16" \times 2"$ J2CB971 -  $20" \times 18" \times 2"$ Comfortable, mildly contoured foam. Cost effective and durable I year warranty. Moisture resistant cover.





J2 BACK JIAB4II - 16" × 18" JIBB4II - 18" × 18" JICB4II - 20" × 18" Lightweight and angle adjustable. Can be used with optional lateral supports. Protects against spinal and pressure problems. Comes with universal mounting hardware.



JAYCARE BACK JIAB491 -  $16'' \times 18''$ JIBB491 -  $18'' \times 18''$ JICB491 -  $20'' \times 18''$ For comfort and pressure relief along the spine. Ideal for the kyphotic client. Built-in-lateral support. Adjustable and allows patient to be reclined.

#### **ACTION PILOT**


 $\begin{array}{l} \textbf{J2AA52I} ~-~ \textbf{I6''} \times \textbf{I6''} \times \textbf{I''} \\ \textbf{J2BA52I} ~-~ \textbf{I8''} \times \textbf{I6''} \times \textbf{I''} \\ \textbf{J2BB52I} ~-~ \textbf{I8''} \times \textbf{I8''} \times \textbf{I''} \\ \textbf{J2CA52I} ~-~ \textbf{20''} \times \textbf{I6''} \times \textbf{I''} \\ \textbf{J2CB52I} ~-~ \textbf{20''} \times \textbf{I8''} \times \textbf{I''} \\ \textbf{J2CC52I} ~-~ \textbf{20''} \times \textbf{20''} \times \textbf{I''} \\ \textbf{J2DB52I} ~-~ \textbf{22''} \times \textbf{I8''} \times \textbf{I''} \\ \textbf{J2DC52I} ~-~ \textbf{22''} \times \textbf{20''} \times \textbf{I''} \\ \textbf{J2DC52I} ~-~ \textbf{22''} \times \textbf{20''} \times \textbf{I''} \end{array}$ 


The Pilot<sup>™</sup> is a low-profile GEL cushion that provides exceptional pressure relief for most users with a pressure injury history. I'' of Akton® polymer provides immersion for bony prominences and protects clients with fragile skin integrity. This multi-use cushion is recommended for use on manual and power wheelchairs, truck or taxi seats, or for other uses requiring significantly reduced high pressure areas, vibration and shear. The very low profile allows users to effectively reach the floor for more efficient foot-assisted propulsion. It also conforms to pre-contoured foam or rigid cushions to maximize stability and positioning when required. Comes with Basic Cover. Incontinent and replacement covers are also available.

FAX: 800-444-4176











### MATTRESS INNER SPRING

A5X88880" × 36" × 6"A5X99984" × 36" × 6"

Economical innerspring mattress with two polyester fiber toppers. The unit has a 1" high-density, firm, combustion-modified fiber topper on each side. The Masongard vinyl waterproof cover is antimicrobial / anti-bacterial.

MATTRESS / OVERLAY - I

### MATTRESS PERIMETER

**A5X689** - 80'' × 36'' × 6'' (*Raised Sides*) **A5X998** - 84'' × 36'' × 6'' (*Raised Sides*)

- 3" elevated perimeter prevents patient falls and the Cut Out sections facilitates easy transfers in and our of bed. The Gravity 7 Long Term Care Pressure Redistribution Mattress by Drive Medical uses a multi-layered, high density foam to provide optimal pressure redistribution for individuals in long term care facilities.
- The top layer of foam is high resilient and die-cut, which provides comfort and proper pressure redistribution. The ultra-soft heel section is uniquely designed to provide extremely low skin interface pressure, preventing pressure ulcers.
- The mattress cover is a 2-way stretch, water resistant, vapor permeable nylon ensuring users comfort and hygiene. The cover provides a low moisture transmission rate (MVT) which keeps the patient cool, dry and comfortable.

#### **BARIATRIC FOAM MATTRESS**

**A5X9I5** - 80'' × 42'' × 6''

- Durable 11-ounce vinyl cover
- Constructed of high resilience, easyto-clean foam for extended life and service
- Constructed of latex-free materials
- Solid inner core mattress is reversible and flippable

### MATTRESS PRESSURE MANAGEMENT

**A5X925** - 80'' × 36'' × 6'' **A5X926** - 84'' × 36'' × 6''

- Deluxe, horizontal, cross-cut, foam mattress provides comfort, support and pressure redistribution over five different pressure zones
- 210 denier nylon cover reduces friction and shear, and is water resistant and vapor permeable
- Non skid bottom for patient safety


## DEFINED PERIMETER MATTRESS COVER A5X779

- The Defined Perimeter Mattress Cover creates a raised rail, defined perimeter for enhanced fall prevention, without using patient restraints.
- Open in mid-section for safe and easy patient egress and ingress.

- Better comfort, compliance, durability and pressure redistribution than innerspring mattresses allows for improved patient satisfaction and fewer service calls
- Meets flammability standards CFR 1632 and CFR 1633
- Latex free
- 350LB CAP
- Built-in medium density foam bolsters safely and comfortably define edges of bed for patient and prevent falling.
- Easy-to-install and secure
- Breathable nylon makes this a truly universal cover, compatible with both foam and powered air surfaces



# MATTRESS / OVERLAY - 2



CONVOLUTED EGG CRATE PADS W/C PAD J2BA77 4" X 18" X 16" **BED PAD J2XI09** 2" × 33" × 72" **|2X||0** 3" X 33" X 72" 4" X 33" X 72" **J2XIII** 

Bio-clinic brand designed to distribute body weight & minimize pressure & sheer forces. Open-cell structure allow heat & moisture to dissipate.



**IRIS 10,000 OVERLAY J2X444** - 34'' × 74''

Combined patented Omalux with high performance foam for added pressure reduction and extreme comfort. Proves long term protection for high risk patients.

## **CUBICAL TRACKING / PARTS - I**



### 1100

CHANNEL 16 gauge extruded aluminum. Anodized finish. Obtainable in up spliced lengths up to 20 ft. Approx. 7/8'' X I I/4''



#### 1101 SINGLE CARRIER

Carrier spacing. 6" block supported from 2 nylon wheels. Plated swivel and curtain hook for effortless and guiet curtain movement. Carrier width: Approx. I/2"



1109 END STOP Prevents carriers from slipping out of end track



1125 CURTAIN TIE-BACK Chain constructed of nickel-plated brass prevents billowing of curtain from track end.

### 1128 POLYPROPYLENE CONNECTOR CORD

Connects drop strips (or chains) to prevent binding in curves. Metal eyelets 6" apart for attachment to carrier hooks.

### 1110 REMOVABLE END STOP

Permits easy replacement of carriers. Bolt prevents carriers from slipping out of track end. Hook included for curtain tie-off. Extends track by approx. 3/4"



### 1126 DROP CHAIN

Extension chair 18" long constructed of nickel plated steel. Used when ventilation space is required and mesh top is not feasible. Other lengths available.



### 1124 SPLICING CLAMP

Anodized sleeve for joining and extending track sections assuring proper alignment of track channels. Length: 8"

### 1127 PVC DROP STRIP

Extension strip 18" long constructed of PVC. Hole at top slips over hook on carrier. Plated hook at bottom for attaching curtain. Used in place of mesh for ventilation at top curtain



46 PHONE: 800-333-3214

# **CUBICAL TRACKING / PARTS - 2**



1135 CURTAIN SNAP HOOK (PLATED)



SHOWER CURTAIN HOOK

1171

SUSPENSION TUBE

Recommended spacing 6" fabricated from 7/8" o.d. Hollow anodized aluminum tubing.

Obtainable in length up to 13 ft.




1170 **CEILING FLANGE** 

Constructed of heavy duty aluminum for connecting suspension tube to ceiling. Fastener required to attach flange to ceiling. Hole in side for screwing to suspension tube.



**CURVES** 

#1100 Channel bent to 12" radius. Obtainable in unspliced lengths up to 20 feet, 90 & 45 degree one bend curves standard. Multiple bends and other angles also available.



1175

T-BRACKET

For suspended installations.

Joins 2 tracks into 90 degree

connection



#### 1173 WALL FLANGE

Constructed of heavy duty aluminum. For fastening track channel to wall in suspended installations. Removable end stop permits easy replacement of carriers. Hook provided for curtain tie-off.

### 1177 **CROSS BRACKET**

For suspended installations. Center piece subdivides areas.

1130

## CARRIERS







1172 TRACK SOCKET

Constructed of heavy duty aluminum. Screw at bottom connects suspension tube to track channel. Hole on side for screwing to suspension tube.



### 1174 **JOINING SLEEVE**

For suspended installations. Connects straight sections of one track with curved section of adjoining track.



### 1178 **CEILING CLIP**

Recommended spacing 2.5ft. For fastening track channel to T-bar on acoustical tile ceiling. Off-white color. Length: 7/8" (closed), Width: 3/4", Height: 3/16"

1131

Used in : Imperial AE Screening,

IFC-69, IFC-63, Beltor, Jiffy and



1129 Used in: Imperial IFC-98, Capital General, Grant, Masco, Nelson, and Waltrous systems.



1132 Used in: Imperial IFC-50, Beltor, Capital, Masco & Nelson Systems.





1133 Used in : Imperial IFC-70R Shower Rod and All I'' O.D. tubing installations.

# Hill-Rom Systems.



### 1134

Used in: Imperial IFC-98, Capital General, Grant, Masco, Nelson, and Waltrous systems.

# **BED PUMPS & PADS**



### GAYMAR T-PUMP

L4X100 Water circulating Heater / Pump L4X101 - 15'' × 22'' Pad for T-pump 16 gauge Heavy duty vinyl



**UNIVERSAL BUBBLE PAD FOR A.P.P. L4XII4** - 74'' × 3I'' Single patient use. Can be used on Alphabed, Betabed, Alphacare and Gaymer units.

## ASPIRATOR



### SCHUCO

L4XII2 - Plastic Canister L4X2I2 - Glass Bottle Thermal protected motor. Rust & corrosion resistant. Lightweight and vibration free. Controlled vacuum from 0 to 27" Height.

### INQUIRE ABOUT AVAILABLE REPLACEMENT PARTS FOR UNITS


# NURSING THERAPY



VINYL EXAM GLOVES Multi-purpose non-sterile gloves

100 per box. 10 per case.

K6X103	Small/Case
K6X104	Med/Case
K6X105	Large/Case
K6X2I3	Small/Box
K6X214	Med/Box
K6X215	Large /Box



### GLOVE DISPENSER K6XI32 - 10 1/4" × 3 1/8"

Steel construction with powder coat finish. Complete with mounting hardware.




### GLOVE DISPENSER 2-BX HOLDER

**K6X133** - Clear Holds two glove boxes

Length 10" Depth 4" Height 10-3/4"

# NURSING THERAPY / MISC.



# WALKING AIDS



### **I" SINGLE RELEASE** LIGHTWEIGHT FOLDING WALKER WITH 5" WHEELS


WWX200 - Adult: 32'' to 39'' Apply weight to the walker to slowly stop.

WWX20I - Youth: 25" to 32" Replacement for 99X121 glide brake, sold as pair.




TRAY WWX228 - Mickey Mouse WWX329 - Universal

**Tray Size**  $21^{\prime\prime} \times 16^{\prime\prime} \times 1^{\prime\prime}$ 



WALKER BASKET **NWX206** 



WALKER TRAY (FLIP DOWN) WWX208 - Universal (Most) WWX508 - Invacare only



indoor surfaces



(4 ext. legs)

**GLIDE BRAKE** 99X121 Apply weight to the walker to slowly stop



5" MAG WHEEL 99X124 Great on rough terrain, quiet indoor use.

WALKER FOOTPIECE ACCESSORIES



## **3" SWIVEL WHEEL** 99X129

Rotates 360 degrees, change directions easy.



# 99X136



PLUNGER 99X130 Replacement for 99X121 glide brake.



**3" WHEEL BRAKES** 99X133

Performs as 99x121, but with easy rolling rubber wheels for smoother outdoor use.



## **5" SWIVEL WHEEL** Sold as set with glide

brakes, allows superior mobility indoors and outdoors.



Glides


## WALKER FOOTPIECE EXTENSIONS

99XI34 99X234 • adds 3'' to std walker height • Set/4

• Set/4 (2 ext. brake wheels,

• adds 3" to std

walker height



99X334

• adds 3" to std walker height • 2 ext. brakes

• 2 ext. legs

### 99X434

Extensions with Glides

• adds 3" to std walker height

• 2 3" ext. wheels

• 2 ext. legs

tensions with • adds 3" to std walker height • 2-5" ext. wheel • 2 ext. leg

99X534



PHONE: 800-333-3214



# PHYSICAL THERAPY



HEMI-WALKERS WWX102 - Adult WWX103 - Youth Bi-level hand grips ease lifting from chair. Adult sidestepper fits patients: 5'4'' to 6'2'' Youth sidestepper fits patient: 4'7'' to 5'5''



QUAD CANE WWX104 - Wide Base WWX105 - Narrow Base Legs designed to meet floor vertically. Strong chrome-plated steel base. Fits left or right hand. Height Adjust from 28'' to 38''

CRUTCH WWX222 - Tall WWX333 - Adult WWX334 - Youth Push button height adjustment. Includes underarm pad, handgrip and large crutch tip. Tall crutch fits patient: 5'10'' to 6'6'' Adult crutch fits patient: 5'2'' to 5'10'' Youth crutch fits patient: 4'6'' to 5'2''



### PLATFORM WALKER ATTATCHMENT WWX109

Provides a convenient aid in the ambulation of arthritic, hemiplegic, armcasted or other patients who are unable to hand weight bear. Fits left or right side.



### FOREARM CRUTCH

WWXIIO - Adult WWXIII - Youth WWXII3 - Tall Push button adjustable height. Padded handgrip and large crutch tip. Adult forearm crutch fits patient: 5'0'' to 6'2'' Youth forearm crutch fits patient: 4'2'' to 5'2'' Youth forearm crutch fits patient: 5'10'' to 6'6''



### EXTRA WIDE WALKER WWX227

Single button folding mechanism. Dynamically tested to 400 lbs. Height adjustment: 33'' to 37'' Walker fits patient: 5'4'' to 6'4''

## SP-100

Adjustable aluminum cane with wrist strap.

- Black
- Bronze
- Grey

**SP-101** Adjustable aluminum cane. Pistol grip. • **Black**  **SP-102** Wood cane. Variety of wood finishes.



**SP-103** Folding adjustable aluminum cane. Comes with carrying case.

51


SP-110 Ice Cane Grip. Flips up when not in use. Easy to install. Universal fit **SP-200** Cane Holder Attatches to most canes.

**SP-205** Wrist Strap Allows canes to be set on edge of table. Attatches to most canes.



FAX: 800-444-4176

# WALKER PARTS - I



UTILITY TIPS 99XIII Multi-purpose tip, 99X112 non-slip, grey rubber, 99X113 fits tubular metal 99X114 99X115 Sold as each **99XII6** 1/2"




**INVACARE** Glide Tip - Plastic 99XI38 - 3/4" **99XI39** - | |/8" Sold as pair



**SKI GLIDES - PLASTIC 99XI4I** - 1 1/8" Screw On Bottom 99X44I - Snap-On (Best Buy) Screw at bottom to tightens ski Sold as pair



WALKER BASKET WWX106 Universal fit with velcro closures.



WALKER POUCH **WWX107** 

Denim material w/ straps with velcro closures.



WHEELS **WWX426** - 8" 5/16" Bearing



5/8"

3/4"

7/8''

| |/8"

|"

WHEEL **WWX460** 8" each



HARD PLASTIC SEAT **WWX457** Fits Evolution Sprite & Nova Cruiser DLX older models



**BRAKE CABLE** WWX44I Fits most walkers



FLEECE HAND GRIP WWX108 - Pair



HAND GRIP WWX469 - Left WWX470 - Right Black



SEAT **WWX944** Use with WWX945



SEAT PAD WWX945 Use with WX944

# WALKER PARTS - 2

## NOVA



ADJUST KNOB **WWX429** Cruiser DLX



**GRIP FOAM** WWX445 - 12'' each



GRIP **WWX459** 

## **EVOLUTION**



WHEEL WWX905 - 8"



WHEEL WWX917 6'' wide



FORK **WWX453** - 6" WWX454 - 8"



**BRAKE SLEEVE** WWX439 - 35.5"



**BRAKE SHOE WWX444** 



WHEEL

WWX900 - 8"

(image) WWX901 - 6"

FORK WWX902 8'' Front WWX992 8'' Rear



FORK WWX903 6" narrow (image) **WWX908** 6'' wide



PLASTIC STRAP BASKET **WWX904** Pair



BRAKE **WWX467** - L/R Loop Style



**BRAKE LOOP WWX468** - L/R Reflector End Style



**BRAKE PAD WWX478** 



SEAT CLIP **WWX942 WWX943** 



BASKET WWX955 Cruiser DLX



MAC SERIES WWX966



Adjust knob



BRAKE

**WWX906** - L/R

All models

**GRIP w/REFLECTOR** WWX603 **WWX606** 

CABLE SLEEVE

WWX927 - 38"

GRIP **WWX957** - Each Black



**DRIVE KNOB WAX520** 



ADJUST KNOB **WWX960** 



WHEEL WWX448 - 6" smooth WWX449 - 6" grooved



WHEEL

WWX472 - 8" Cruiser DLX

# BEDS



### ZENITH NURSING HOME BED

A6X100 Bed (desk width from 39" to 42")

A6XI0I Pivot Bar

A6X301 Head/Foot Boards

#### A6X400 Rail

- Smart Technology
- Digital Electronics enable 'plug and play' capability to add features at any time
- Advanced Positioning
- USB Power Supply for cell phone charging
- Under bed Light for resident safety
- Interchangeable Electronics
- 500 LB Safe Work Load
- Travel Range: 7.95''-30''





BARIATRIC BED GENDRON MAXIREST A6X600 - 39'' × 84'' A6X601 - 48'' × 84'' MATTRESS (SOLD SEPARATELY) A6X600M - 39'' × 84'' A6X60IM - 48'' × 84''

- Patient weight capacity: 650 LB
- Fully electric operation, pendant controls
- Split frame construction
- Quick disconnect cables for easy assembly
- High / low adjustable: 15.75" to 32.5"
- Fowler back rest and leg lift functions
- Drop down removable side rails
- Laminate oak finish head and foot boards

### MED-AIRE 8" ALTERNATING PRESSURE AND LOW AIR LOSS MATTRESS SYSTEM L4X215


- This combination therapy 8" mattress replacement system provides both alternating pressure and low air loss to optimize pressure redistribution and manage skin maceration
- Designed to prevent, treat and manage pressure ulcers in the home, long term care, or acute care setting
- 8 LPM (liters per minute) airflow control unit offers 10 minute cycles when alternating and may also be used in static mode.
- Adjustable patient comfort settings allow for optimal immersion and patient satisfaction.
- Nylon cover is low shear, fluid-resistant, vapor permeable, quilted and zippered
- Each one of the twenty 8"-deep air bladders are easily removed and replaced with air leakage plugs
- Pillow function maintains the 3 air cells at the head of the bed in static mode for patient comfort
- CPR valve allows for rapid deflation
- EZ Lock/Quick Release Tubing connector

# WHEEL CHAIRS - I

### **INVACARE EX2** WCFINII

Combining a heavy-duty seat inner liner, low-maintenance carbon steel frame and interchangeable components with the Invacare 9000 Wheelchair series, this wheelchair sets the benchmark for long-lasting, durable wheelchairs.

- · Permanent, padded armrests and attractive, silver vein finish
- Heavy-duty inner liners keep seat and back from stretching
- 14-gauge crossbraces add durability and strength
- Folds to 13" wide for convenient travel and storage
- 250 LB CAPACITY



### **INVACARE SX5** WCFINI2 (250 LB) / WCFINI3 (SUPER HEMI – 250 LB)

The Invacare Tracer SX5 Wheelchair's lightweight frame, weighing less than 36 lb., makes this chair perfect for rental and long- or short-term use. This wheelchair offers multiple seat widths, arm styles, sectional back and seat-to-floor heights by utilizing the dual axle position frame base. The 20" and 22" widths include a semi-pneumatic caster to accommodate a weight capacity of 300 lb. Combining the design and technology of the Invacare® 9000 series wheelchairs make it possible to interchange components with the Tracer SX5 wheelchair.



- Durable, low-maintenance, carbon steel frame is long-lasting. Dual axle positions allow variation of seat-to-floor heights
- 14-gauge crossbraces add strength and durability. Urethane rear tires mounted on "no flex" wheels offer superior performance
- Sectional back available in 16" and 18" back heights. Low-maintenance, dual-sealed precision bearings
- · Heavy-duty inner liners keep seat and back from stretching
- · Meets RESNA standards for manual wheelchairs in product performance

250 LB & 300 LB CAPACITY

Wheelchair	Front Rigging	MFG	Model	Size	Arm Style
WC	F = Footrest L = Elevating Legrest A = Articulation ELR N = None	IN = Invacare	12 = SX5 13 = SX5 Super Hemi	$AA = 16" \times 16"$ $BA = 18" \times 16"$ $CA = 20" \times 16"$ $BB = 18" \times 18"$ $CB = 20" \times 18"$ $DA = 22" \times 16"$	I = Desk 2 = Full 3 = Fixed, Adj 4 = Full, Adj 9 = Omit

I

ככ

# WHEEL CHAIRS - 2

### INVACARE TRACER 4 WCFIN4I (350 LB) / WCFIN42 (450 LB)

Combining a reinforced, heavy-duty carbon steel frame which includes gusseted sides, caster journals and dual crossbraces, the Tracer IV Wheelchair is long-lasting and low-maintenance. Heavy-duty seat liner provides added durability.

- Heavy-duty inner liners keep seat and back from stretching
- Attractive, silver vein finish
- Padded, full-length arms for added comfort
- 14-gauge crossbraces add durability and strength
- Folds to 13" wide for convenient travel and storage
- 350 LB & 450 LB CAPACITY



Wheelchair	Front Rigging	MFG	Model	Size	Arm Style
WC	F = Footrest L = Elevating Legrest A = Articulation ELR N = None	IN = Invacare	41 = Tracer 4 (350#) 42 = Tracer 4 (450#)	CB = 20" X 18" DB = 22" X 18" EB = 24" X 18"	I = Desk 2 = Full 3 = Adjust Full 4 = Adjust Desk

### INVACARE SX RECLINER WCFINI4 (250 LB) / (20" to 22" – 300 LB)

Featuring a carbon steel frame, a heavy-duty inner liner to keep the seat and back from stretching and urethane rear tires mounted on "no flex" wheels, the Tracer SX5 Recliner Wheelchair is built to last. Dual-axle allows for conversion to hemi-height.

- 14-gauge crossbraces add durability and strength
- Dual-embossed upholstery for added reinforcement
- Heavy-duty inner liners keep seat and back from stretching
- Recline range is 90-110 degrees
- Urethane rear tires mounted on ""no flex"" wheels for superior performance
- 250 LB & 300 LB CAPACITY (FOR 20"-22" ONLY)



Wheelchair Fr	ront Rigging	MFG	Model	Size	Arm Style
L = A =	= Footrest = Elevating Legrest A = Articulation ELR N = None	IN = Invacare	I4 = SX5 Recliner	$AA = 16" \times 16"$ $BA = 18" \times 16"$ $CA = 20" \times 16"$ $AB = 16" \times 18"$ $BB = 18" \times 18"$ $CB = 20" \times 18"$ $DB = 22" \times 18"$	I = Desk 2 = Full 3 = Adjust Full 4 = Adjust Desk

# WHEEL CHAIRS - 3

### GENDRON BARIATRIC WCFGN8I

### Regency XL 2002™ Series 5624-5626-5628

- Weight Limit: 600 pounds
- Seat Widths:
- 24" 26" 28"
- Seat Depths: 18"



Wheelchair	Front Rigging	MFG	Model	Size	Arm Style
WC	F = Footrest L = Elevating Legrest A = Articulation ELR N = None	GN = Gendron	81 = 5624 24" (600#) 82 = 5626 26" (600#) 83 = 5628 28" (600#)	EB = 24" X 18" FB = 26" X 18" GB = 28" X 18" 4 = Adjust Desk	I = Desk 2 = Full 3 = Adjust Full

### MRI POOL WCFMR77

This non-magnetic STAINLESS MRI wheelchair is constructed entirely of non-ferrous materials. Specifically designed for use in and around the MRI suite. All materials including fasteners and bearings are either non-ferrous metals or special polymers. Available in 18", 20", 22", 24"

- STAINLESS chairs come with mesh upholstery, plastic arm pads and nylon bearings.
- Chairs are used for pools



Wheelchair	Front Rigging	MFG	Model	Size	Arm Style
WC	F = Footrest L = Elevating Legrest A = Articulation ELR N = None	MR = Stainless	77 = MRI Pool Chair	BA = 18" X 16" DB = 22" X 18" EB = 24" X 18"	I = Desk Std (20"-22"-24") 2 = Fixed (Only on 18")

# FALL MANAGEMENT - I



## FALL PREVENTION ALARM 61X900

The Economy CordLess® Fall Prevention Alarm provides affordable and effective cordfree wireless monitoring with a range up to 300 ft. Ideal for home or small facility use.

- Works with all 433 CordLess® Sensor Pads & Mats, Nurse Call Buttons, and Motion Sensors
- Monitor up to 6 components with 1 alarm
- Adjustable volume
- Battery Operated (3-C, Not Included)
- Optional AC Power Adapter (AC-04)



## PERSONAL PAGING SYSTEM 61X903

The TL-5102TP is a Stand Alone Personal Paging System and includes two Call Buttons and one Caregiver Pager.

- Insert batteries and it's ready to use
- Audible alert pager with adjustable tone
- Range up to 300 ft.
- Lanyard Strap & Wall-Mounting Cradle
  Included
- Pager Battery Operated (2-AA)



### CORDLESS® FLOOR MAT 61X925

New Patented CordLess® Floor Mat can be place by the bedside or in a doorway. When the resident gets out of bed and pressure is applied to the mat it will send signal to a monitor to alert the caregiver.

- 24'' × 36'' (Black)
- I year warranty (use with the (61×900 or 61×991)



SENSOR W/ CORDLESS CHAIR PAD 61X910 - 10" × 15" Pre-Programed



SENSOR W/ CORDLESS BED PAD 61X912 - Bed (10'' × 30'') Pre-Programed



### ALARM SENSOR PAD (CORDLESS) 61X901 - Bed (10'' × 30'') 61X902 - Chair (10'' × 15'')

When using a Wireless CordLess® Bed or Chair Alarm Sensor Pad with a Wireless CordLess® Monitor you are able to remove the alarm noise from the room, creating a quiet in room environment for the resident. When resident gets up from pad, a wireless signal is sent to the monitor setting off the bed alarm to alert caregiver. A quiet solution for bed & chair alarms for seniors.

### SMART CAREGIVER 61X923

The Smart Caregiver TL-5102MP is a stand-alone motion paging system that allows you to eliminate in-room alarm noise.

- Easy to set up insert batteries and it's ready to use
- Range up to 300 ft.
- Pocket sized pager Easy to carry
- Exit Alarm can be placed by bed or doorway to monitor residents' activities

## SMART CAREGIVER ALARM 61X924

This Smart Caregiver Economy Fall Monitor Alarm functions with weight-sensing bed and chair pressure pads, floor mats, or early warning seat belts. Caregiver is notified by an audible and visual alert.

- Low Cost with full range volume control.
- Visual Status Light when in use, the visual alert light blinks every 4 seconds.
- Nurse Call Capability
- Battery Operated (3-AA, Not Included).



SENSOR W/ CORDED BED PAD 61X911 -10'' X 30'' Pre-Programed





# FALL MANAGEMENT - 2



## PULL-STRING MONITOR 61X501

The virtually indestructible protective cover won't tears and will stops the monitor from breaking when dropped!

- Affordable
- Magnet alarm automatically resets when magnet is replaced
- If you break it, we replace it FREE!



### DOOR BAR SYSTEM 61X928 61X929

This "All in One" Anti-Wandering Door Bar System functions with just a door alarm and a resident wristband. Simply mount the door monitor alarm by any exit or doorway in your care facility, plug it in, and place wristband on resident. When a resident wearing a wristband attempts to wander too close or through the doorway, the door monitor alarm sounds audibly and visually.

Affordable: NO Wiring & Electricians



### FLOOR MAT A5X398

- Designed for use with low beds
- Fold conveniently for storage
- Does not attach to bed
- Beveled edge for reduced profile
- 24'' W x 72'' L x I.5'' H



## CENTRAL MONITORING UNIT 61X991

The Smart Caregiver 433-CMU Central Monitoring Unit allows you to monitor multiple Wireless sensor units from one central location, such as a Nurses' Station.

- Alarms audibly & visually at central location and portable caregiver pager(s).
- Compatible with all 433mhz Wireless
   Components.
- 40 & 60 Channel Capacity Models available.
- Range up to 300 ft.
- Systems may be pre- or re-programmed.
- Battery Operated (4-C, Required)
- Included AC Power Adapter (AC-04)

# LIFT CHAIR PENDANTS

GOLDEN



14X170





PRIDE

14X172

13X221



14X149





13X107









|3X|||

13X233

I4X500

PHONE: 800-333-3214

FAX: 800-444-4176

HOURS: 8 AM-5 PM CST



## APA MEDICAL TERMS – AUG 2017

For your convenience, we reserve the right to substitute parts. Prices and specifications are subject to change without notice. Open accounts for your convenience.

### **ALL RIGHTS RESERVED**

Absolutely no reproduction of this catalog of any kind, in part or in whole, without written authorization from APA Medical. Anyone reproducing this catalog for profit will be prosecuted to the fullest!



### **First Time Orders**

Call our customer service department and we will set your account up promptly. No credit application is needed (dealers excepted).

### Terms

30 day net payment. A finance charge of 1% per month (12% Annual Percentage Rate) may be charged on all invoices over 30 days past due.

### Pricing

Prices are subject to change without notice. updated price lists are available upon request. Quantity discounts may be negotiated. Quotations are available upon request.

### Shipping

Most orders are processed and shipped within 24 hours.

### **Minimum Order**

No order is too small.

### **Restocking Charge**

No restocking charge (special orders excluded).

### Freight

Freight charges will be prepared and added to your invoice. Credit on freight charges is issued only when the mistake is ours.

### **Private Party Billing**

Any billing that is to be done to a resident or family member must be declared at the time of ordering. Your facility must guarantee payment for us to bill a private party. Generally, private billings will not be billed at wholesale catalog prices. Please call for resident pricing.



## PARTS & EQUIPMENT CATALOG

Attention: Nursing or Purchasing (or forward to proper department)

Mon – Fri | 8:00 am – 5:00 pm Metro 612-722-9000 Fax 612-721-4834